

Jointly produced by:

WFP-World Food Programme, Nepal

MoAD-Department of Agriculture, Agribusiness Promotion and Marketing Development Directorate (ABPMDD) **FNCCI/AEC-**Federation of Nepalese Chamber of Commerce and Industries/Agro Enterprise Centre

CIPF-Consumer's Interest Protection Forum







HIGHLIGHTS

- In April 2017, retail prices of most food commodities monitored in 12 markets across Nepal were relatively stable due to sufficient availability from domestic production and imports.
- Overall inflation rate in April 2017 was 3.8 percent. The food and beverage group was stable at 0.7 percent, although several food sub-groups were higher: sugar and sugar products (13.9%), meat and fish (4.8%) and milk and milk products (4.4%).

Prices

Retail prices of most food commodities in 12 markets across Nepal were relatively stable in April 2017 (see **Fig. 1**):

- On a month-on-month basis, retail prices of coarse rice and wheat flour were stable. The retail price of red potato, black gram and broken lentil decreased by 2.5, 3.1 and 3.7 percent respectively, while that of soybean oil, mustard oil and chicken increased by 1.2, 3.2 and 3.6 percent respectively.
- Compared to three months earlier, most prices showed a declining trend (with the exception of coarse rice and chicken meat). The largest change was red potato (-8.6%).
- On a year-on-year basis, most prices also showed a declining trend (with the exception of chicken meat). The largest change was broken lentil (-11.3%).

Factors behind current price trends include seasonal fluctuations associated with stable transportation services and the regular supply of food, including to deficit and remote areas.

Retail prices in regional markets (see **Fig. 2**) showed similar trends to the national averages. Compared to last month, the prices of coarse rice, wheat flour and broken lentil were stable in most markets, although the price of broken lentil had a moderate decrease in the Terai markets. Compared to the same period last year, the prices of these commodities showed a significant decrease with the exception of the price of coarse rice in the Terai markets.

Wholesale prices regularly monitored by FNCCI/AEC in the five large markets of Birtamod, Kathmandu, Butwal, Surkhet and Dhangadhi remained stable month-on-month. Wholesale prices monitored in the Kalimati Fruits and Vegetables Market showed high seasonal fluctuations month-on-month (see **Table 1**): prices of cauliflower, carrot, French bean, spinach, broad mustard leaf and tomato increased by more than 12 percent, while that of pointed gourd, okara, cow pea, brinjal, cabbage and colocassia decreased by more than 20 percent due to the harvest season.

In April 2017, the overall consumer price index (CPI) released by Nepal Rastra Bank was 113.5, an increase of 1.0 percent month-on-month. The inflation rate, as measured by the year -on-year increase in the CPI, was 3.8 percent. The food and beverage group of the CPI was 109.9, an increase of 1.6 percent month-on-month and 0.7 percent year-on-year; several sub-groups showed relatively high year-on-year increases: sugar and sugar products (13.9%), meat and fish (4.8%) and milk and milk products (4.4%). The non-food and services group of the CPI was 116.4, an increase of 0.5 percent month -on-month and 6.3 percent year-on-year.

Supply

The supply of food commodities has improved across the country due to sufficient availability from domestic production and imports, and stable transportation services.

Outlook

Most food prices are expected to remain stable or increase next month with the start of the lean season of most staple crops, with the exception of wheat, which was recently harvested.

The second advance estimate of wheat production, the main winter crop, forecasted an increase of six percent due to timely rainfall during the growing period and sufficient supply of fertilizers and other inputs without any significant disruptions.

| Table 1: Largest changes in commodity prices (month-on-month) | | | | | | | | | | | |
|--|-----------------------------|------------------------|--|--|--|--|--|--|--|--|--|
| Commodity | Price NPR/kg or liter | % change 1 month | Observations | | | | | | | | |
| Cauliflower, carrot, French bean, spinach, broad mustard leaf and tomato | various | > 12 | Decrease in supply due to lean season | | | | | | | | |
| Pointed gourd, okara, cow pea, brinjal, cabbage and colocassia | various | <-20 | Increase in supply due to harvest season | | | | | | | | |

Figure 1: Average retail price over 12-month period*






Figure 2: Percentage change in retail prices** (1 month & 1 year)



^{*} Prices are from markets listed on the back of this report, not including 'Hill & Mountain - No Road' markets.





[†] Prices relate to the Nepali month of Chaitra 2073.

| Market | Commodity | Cur- rent price | Chan | ge in price (| %) * | Ave | erage ch | ange over | _ - | Commo |
|----------------|----------------------------|------------------------|-------------|---------------|---------------|----------|----------|-----------|--------------|-----------------------------------|
| Mar | Commodity | (NRS per Kg/Lt.) | 1 m | 3 m | 1 yr | 1m | 3m | 1yr | Market | Commo |
| Majo | or consumer | markets | | | | | | | | Coarse ri |
| | Coarse rice | 48.0 | 2.1 | -2.0 | -4.0 | • | | • | | Wheat flo |
| | Wheat flour | 43.0 | 0.0 | -2.3 | -18.9 | | | • | m | Soybean |
| mandu | | | | | | | | Ė | Bhairahawa | Chicken |
| | Soybean oil | 127.0 | -2.3 | -2.3 | -20.6 | | | | <u>a</u> : | Mustard |
| | Chicken | 330.0 | 19.6 | 10.0 | -2.9 | | | | 苗 | Mas (blad gram) |
| Kat | Mustard oil Mas (black | 218.0 | 0.0 | 0.0 | -0.9 | | | • | | Musuro |
| | gram) | 221.0 | 0.9 | 0.0 | 13.3 | • | • | • | | Potato |
| | Musuro | 122.0 | -6.2 | -12.9 | -32.2 | • | • | ▼ | Hill a | nd Moun |
| | Potato | 34.0 | -10.5 | -12.8 | 21.4 | • | • | A | | Coarse ri |
| | Coarse rice | 52.0 | 0.0 | 0.0 | 0.0 | • | • | • | | Wheat flo |
| | Wheat flour | 47.0 | 0.0 | -6.0 | -6.0 | • | • | • | nta | Soybean |
| | Soybean oil | 125.0 | 0.0 | 0.0 | -16.7 | • | • | ▼ | Dhankuta | Chicken Mas (blac |
| okhara o | Chicken | 360.0 | 2.9 | 5.9 | -12.2 | • | • | • | ā | gram) |
| Pok | Mustard oil | 180.0 | 0.0 | 0.0 | -5.3 | • | • | • | | Musuro |
| | Mas (black | 200.0 | 0.0 | 0.0 | 44.4 | | | | | Potato |
| | gram) | 200.0 | 0.0 | 0.0 | -11.1 | | | | | Coarse ri |
| | Musuro Potato | 165.0 46.0 | 0.0 | 0.0 | -17.5 31.4 | | | , , | | Wheat flo |
| Regi | ional Terai m | | 0.0 | 0.0 | 31.4 | | | | Rolpa | Soybean |
| | | | 0.0 | 0.0 | 14.0 | | | | 윤 | Chicken |
| | Coarse rice | 40.0 | 0.0 | 0.0 | 14.3 | | | | | Mas (blad gram) |
| | Wheat flour Soybean oil | 45.0 130.0 | 0.0 0.0 | 0.0 -7.1 | 8.2 -3.7 | | | | | Musuro |
| agar | | | | | | | | | | Potato |
| Biratnagar | Chicken Mustard ail | 308.0 | 2.7 0.0 | 2.7 2.9 | 2.7 | | | | | Coarse ri |
| 面 | Mustard oil Mas (black | 175.0 | 0.0 | 2.9 | 0.0 | | | | | Wheat flo |
| | gram) | 140.0 | -12.5 | -20.5 | -33.3 | • | • | ▼ | gar | Soybean |
| | Musuro | 128.0 | -8.6 | -9.9 | -20.0 | • | • | ▼ | Sanfebagar | Chicken |
| | Potato | 20.0 | 0.0 | -9.1 | -28.6 | • | | | San | Mas (blad |
| | Coarse rice | 38.0 | 8.6 | 8.6 | 11.8 | A | • | • | | gram) |
| | Wheat flour | 40.0 | 0.0 | 11.1 | 0.0 | | A | • | | Musuro Potato |
| | Soybean oil | 150.0 | 0.0 | 0.0 | -3.2 | | | • | | |
| Ξ΄ | Chicken | 340.0 | 0.0 | 54.5 | 21.4 | | A | A | | Coarse ri |
| Birgunj | Mustard oil | 250.0 | 11.1 | 25.0 | 16.3 | A | A | A | | Wheat flo |
| _ | Mas (black gram) | 150.0 | 0.0 | -1.3 | -9.1 | | | • | <u>=</u> | Soybean |
| | | | | | | | | | Ę | Chicken Mas (blac |
| | Musuro | 150.0 | 0.0 | 7.1 | -11.8 | | | | | gram) |
| | Potato | 20.0 | 25.0 | 0.0 | -20.0 | A | • | <u> </u> | | Musuro |
| | Coarse rice | 40.0 | -4.8 | -2.4 | 15.4 | • | • | A | | Potato |
| | Wheat flour | 43.0 | 0.0 | -4.4 | 0.0 | • | • | • | | Coarse ri |
| | | | | | | | | | | Wheat flo |
| . <u> </u> | Soybean oil | 142.3 | 0.9 | -0.7 | -21.7 | | | • | Bajura | Beans |
| Nepalgunj | Chicken | 375.0 | -2.6 | -6.6 | 0.0 | | • | • | ä | Mas (blad gram) |
| Nep | Mustard oil | 207.7 | 0.0 | 0.5 | -16.4 | • | • | ▼ | | Musuro |
| | Mas (black gram) | 215.7 | 2.7 | 9.1 | -14.3 | | | | | Potato |
| | , | | | | | | | | Mour | ntain mar |
| | Musuro | 150.0 | -20.1 | -16.7 | -20.4 | • | • | • | | Coarse ri |
| | Potato | 25.3 | 33.3 | 1.3 | 0.0 | | | | | Wheat flo |
| | Coarse rice | 38.8 | -3.0 | -4.9 | -9.8 | | | | <u>la</u> | Soybean Beans |
| | Wheat flour | 39.2 | -3.9 | -3.9 | 0.0 | • | • | • | Humla | Mas (blad |
| | Soybean oil | 130.0 | 0.0 | -7.1 | -20.7 | • | • | ▼ | | gram) |
| i . | | 324.0 | 15.7 | 9.5 | 15.7 | A | • | A | | Musuro Potato |
| angadhi | Chicken | | | | 444 | - L | | ■ | | |
| Dhangadhi | Mustard oil | 160.0 | 0.0 | 0.0 | -11.1 | | | | | Coarse ri |
| Dhangadhi | | | 0.0 -1.0 | 0.0 -6.9 | -22.8 | | | * | | |
| Dhangadhi | Mustard oil Mas (black | 160.0 | | | | • | * | * | | Coarse ri Wheat flo Soybean |

| \blacktriangle | Price | increase | above | normal | price | fluctuation |
|------------------|-------|----------|-------|--------|-------|-------------|
|------------------|-------|----------|-------|--------|-------|-------------|

[►] Normal price fluctuation

[▼] Price decrease below normal price fluctuation Price fluctuation is considered normal if the price change is within 5% for 1 month, or within 10% for 3 months or within 15% for one year.

| ket | Commodity | Current price (NRS | Chan | ge in price (% | (₆)* | Average chang over | | | |
|------------|--------------------------------|--------------------------|------------|----------------|-------------------|--------------------|-------------|-------------|--|
| Market | Commodity | per Kg/ Lt.) | 1 m | 3 m | 1 yr | 1m | 3m | 1yr | |
| | Coarse rice | 45.0 | 0.0 | 12.5 | 12.5 | • | A | • | |
| | Wheat flour | 40.0 | 0.0 | 5.3 | 0.0 | • | • | • | |
| _ | Soybean oil | 120.0 | 0.0 | 0.0 | -4.0 | • | • | • | |
| Jawa | Chicken | 310.0 | 0.0 | 3.3 | -8.8 | • | • | • | |
| Bhairahawa | Mustard oil | 135.0 | 0.0 | 0.0 | -25.0 | • | • | • | |
| eg . | Mas (black gram) | 230.0 | -4.2 | 4.5 | 4.5 | • | • | • | |
| | Musuro | 125.0 | 0.0 | -7.4 | -10.7 | | | • | |
| | Potato | 22.6 | 13.0 | -9.6 | -9.6 | A | <u> </u> | | |
| Hill a | nd Mountain m | | | | | | | | |
| | Coarse rice Wheat flour | 44.0 50.0 | 1.4 2.0 | 2.8 6.4 | 2.3 4.2 | | • | • | |
| m. | Soybean oil | 125.0 | 0.0 | 0.0 | -26.5 | | | * | |
| Dhankuta | Chicken | 320.0 | 0.0 | 0.0 | -11.1 | • | • | • | |
| Ohar | Mas (black gram) | 158.0 | 0.0 | 0.0 | 21.5 | • | • | A | |
| _ | Musuro | 138.0 | 0.0 | 0.0 | -18.8 | • | • | ▼ | |
| | Potato | 38.0 | 0.0 | -26.9 | 8.6 | • | • | • | |
| | Coarse rice | 43.0 | 4.9 | 22.9 | -4.4 | • | A | • | |
| | Wheat flour | 41.0 | -8.9 | -8.9 | 2.5 | • | • | • | |
| ba | Soybean oil | 140.0 | 0.7 | 0.0 | 7.7 | • | • | • | |
| Rolpa | Chicken Mas (black | 346.0 | 1.2 | 1.8 | 8.1 | • | • | • | |
| | gram) | 220.0 | -9.1 | -12.0 | -4.3 | • | • | • | |
| | Musuro | 160.0 | 0.6 | 6.7 | 6.7 | • | • | • | |
| | Potato | 42.0 | -27.6 | 5.0 | -16.0 | • | <u> </u> | ▼ | |
| | Coarse rice | 40.0 | 0.0 | 0.0 | 0.0 | • | • | • | |
| _ | Wheat flour | 42.0 | 0.0 | 0.0 | -4.5 | • | • | • | |
| agaı | Soybean oil | 170.0 | 0.0 | 0.0 | 0.0 | • | • | • | |
| Sanfebagar | Chicken Mas (black | 400.0 | 0.0 | -11.1 | 0.0 | • | • | • | |
| | gram) | 200.0 | 0.0 | 0.0 | 0.0 | | | • | |
| | Musuro Potato | 200.0 50.0 | 0.0 0.0 | 0.0 0.0 | 5.3 0.0 | > | • | > | |
| | Coarse rice | 55.0 | 0.0 | 0.0 | -21.4 | | | V | |
| | Wheat flour | 60.0 | 0.0 | 0.0 | -33.3 | | | Ţ | |
| | | 160.0 | 0.0 | 0.0 | 0.0 | | | | |
| Jumla | Soybean oil | | | | 2.3 | | | | |
| лГ | Chicken Mas (black gram) | 450.0 220.0 | 0.0 | -10.0 0.0 | 46.7 | | | A | |
| | Musuro | 180.0 | 0.0 | 0.0 | 20.0 | • | • | A | |
| | Potato | 30.0 | 0.0 | -25.0 | 0.0 | • | V | • | |
| | Coarse rice | 38.0 | -5.0 | 8.6 | 5.6 | • | • | • | |
| | Wheat flour | 45.0 | 0.0 | 0.0 | 2.3 | • | • | • | |
| Bajura | Beans Mas (black | 180.0 | 0.0 | 12.5 | 0.0 | • | A | • | |
| ш | gram) | 220.0 | -12.0 | -12.0 | -12.0 | • | • | • | |
| | Musuro | 220.0 | 10.0 | -12.0 | -12.0 | A | V | | |
| Moun | Potato Itain markets v | 45.0 vithout road | 0.0 | 12.5 | 0.0 | | _ | | |
| | | | | 0.0 | 77 | | | | |
| | Coarse rice Wheat flour | 140.0 160.0 | 0.0 | 0.0 | 7.7 14.3 | • | • | • | |
| | Soybean oil | 320.0 | 6.7 | 6.7 | 0.0 | <u> </u> | | | |
| Humla | Beans | 130.0 | 0.0 | 0.0 | -23.5 | • | • | • | |
| Í | Mas (black gram) | 360.0 | 0.0 | 2.9 | 2.9 | • | • | • | |
| | Musuro | 350.0 | 0.0 | 0.0 | 0.0 | • | • | • | |
| | Potato | 60.0 | 0.0 | 0.0 | 0.0 | • | <u> </u> | • | |
| | Coarse rice | 140.0 | 0.0 | 0.0 | 7.7 | • | • | • | |
| | Wheat flour | 120.0 | 0.0 | 0.0 | 0.0 | • | • | • | |
| | Soybean oil | 300.0 | 25.0 | 25.0 | 25.0 | A | A | A | |
| _ | Beans | 200.0 | 0.0 | 0.0 | 17.6 | • | • | A | |
| olpa | | | | | | | | | |
| Dolpa | Mas (black gram) | 300.0 | 0.0 | 0.0 | 50.0 | • | > | A | |
| Dolpa | Mas (black | 300.0 300.0 | 0.0 | 0.0 | 50.0 50.0 | > | > | A | |

Market Watch is produced by WFP Nepal as part of the Nepal Food Security Monitoring System (NeKSAP) in collaboration with the Agri-business Promotion and Marketing Development Directorate, Federation of Nepalese Chambers of Commerce and Industries (FNCCI) and Consumer's Interest Protection Forum. All NeKSAP publications are available on http://www.neksap.org.np.



| | Commodity | Cur- rent price | Chan | ge in price (| e (%)* Average change over | | | ange over | Market | Commodity | Current price (NRS | Char | nge in price (9 | %) [*] | Average d over | | |
|------|--|--|---------------------------|-----------------------------|--------------------------------|-------------------------------|-------------------------------|---------------------------------------|------------|----------------------------|--------------------------|-------------|-----------------|-----------------|-------------------|----------------------------|---|
| | | (NRS per Kg/Lt.) | 1 m | 3 m | 1 yr | 1m | 3m | 1yr | Ma | ĺ | per Kg/ Lt.) | 1 m | 3 m | 1 yr | 1m | 3m | 1 |
| lajo | or consumer r | markets | | | | | | | | Coarse rice | 45.0 | 0.0 | 12.5 | 50.0 | • | A | |
| | Coarse rice | 47.0 | -4.1 | -4.1 | -6.0 | • | | | | Wheat flour | 40.0 | 0.0 | 0.0 | 14.3 | • | • | |
| | | | | | | | | | _ | Soybean oil | 120.0 | 0.0 | -4.0 | -4.0 | • | • | |
| | Wheat flour | 43.0 | 0.0 | -4.4 | -18.9 | | | • | Bhairahawa | Chicken | 310.0 | -0.6 | 3.3 | 3.3 | • | • | |
| | Soybean oil | 130.0 | 0.0 | -3.7 | -18.8 | • | • | ▼ | irah | Mustard oil | 135.0 | 0.0 | -10.0 | -25.0 | • | • | |
| | Chicken | 276.0 | -1.8 | -18.8 | -16.4 | • | • | ▼ | Ba | Mas (black | | | | | | | |
| | Mustard oil | 218.0 | 0.0 | -11.0 | -5.2 | • | • | • | | gram) | 240.0 | 4.3 | 9.1 | 14.3 | | | |
| | Mas (black gram) | 219.0 | -2.2 | -1.4 | 9.5 | | | | | Musuro | 125.0 | 1.6 | -10.7 | -26.5 | | • | |
| | - | | | | | | | | | Potato | 20.0 | -11.5 | -20.0 | 0.0 | V | | _ |
| | Musuro | 130.0 | -6.5 | -3.7 | -31.6 | • | | • | Hill a | ınd Mountain n | | | | | | | |
| | Potato | 38.0 | -2.6 | -5.0 | 35.7 | | | <u> </u> | | Coarse rice | 43.4 | 0.2 | 1.4 | 0.9 | • | • | |
| | Coarse rice | 52.0 | 0.0 | 0.0 | 4.0 | • | • | • | | Wheat flour Soybean oil | 49.0 125.0 | 2.1 0.0 | 4.3 0.0 | 2.1 -26.5 | | | |
| | Wheat flour | 47.0 | 0.0 | -2.1 | -4.5 | • | • | • | Dhankuta | Chicken | 320.0 | 0.0 | -3.0 | -20.5 -11.1 | | | |
| | Soybean oil | 125.0 | 0.0 | 0.0 | -16.7 | • | • | ▼ | han | Mas (black | | | | | | | |
| | Chicken | 350.0 | 0.0 | 0.0 | -14.6 | • | • | • | | gram) | 158.0 | 0.0 | -10.2 | 5.3 | | Y | |
| | Mustard oil | 180.0 | 0.0 | 12.5 | -5.3 | • | A | • | | Musuro | 138.0 | 0.0 | -3.5 | -8.0 | | _ | |
| | Mas (black | 200.0 | 0.0 | 10.4 | 11 1 | | _ | | | Potato | 38.0 | -26.9 | -26.9 | 8.6 | _ | | _ |
| | gram) | 200.0 | 0.0 | -18.4 | -11.1 | | V | | | Coarse rice | 41.0 | 0.0 | 17.1 | -8.9 | • | A | |
| | Musuro | 165.0 | 0.0 | 0.0 | -13.2 | | | | | Wheat flour | 45.0 | 0.0 | 0.0 | 0.0 | • | • | |
| | Potato | 46.0 | 0.0 | -8.0 | 15.0 | | | | g | Soybean oil | 139.0 | 0.0 | -0.7 | -13.1 | • | • | |
| gı | ional Terai ma | arkets | | | | | | | Rolpa | Chicken | 342.0 | 0.0 | 0.6 | 3.6 | • | • | |
| | Coarse rice | 40.0 | 0.0 | -11.1 | 25.0 | > | ▼ | A | | Mas (black | 040.0 | 0.0 | 0.0 | 50.4 | | | |
| | Wheat flour | 45.0 | 0.0 | 0.0 | 8.2 | • | • | • | | gram) | 242.0 | 0.0 | -3.2 | 56.1 | | | |
| | Soybean oil | 130.0 | -6.5 | 0.0 | -3.7 | • | • | • | | Musuro | 159.0 | 0.0 | 6.0 | -6.5 | | | |
| | Chicken | 300.0 | 0.0 | 0.0 | 0.0 | • | • | • | | Potato | 58.0 | 0.0 | 45.0 | 45.0 | | | _ |
| | Mustard oil | 175.0 | 0.0 | 0.0 | 0.0 | • | • | • | | Coarse rice | 40.0 | 0.0 | 0.0 | 0.0 | • | • | |
| | Mas (black | 400.0 | | 00.0 | 07.0 | | | | _ | Wheat flour | 42.0 | 0.0 | 0.0 | 0.0 | • | • | |
| | gram) | 160.0 | -8.0 | -20.0 | -27.3 | • | • | • | agai | Soybean oil | 170.0 | 0.0 | 13.3 | 0.0 | • | A | |
| | Musuro | 140.0 | 1.4 | 7.7 | -6.7 | | | <u> </u> | Sanfebagar | Chicken | 400.0 | 0.0 | -16.7 | 0.0 | • | • | |
| | Potato | 20.0 | 0.0 | -51.2 | -24.8 | | | <u> </u> | Sar | Mas (black | 200.0 | 0.0 | 0.4 | 0.0 | | | |
| | Coarse rice | 35.0 | 0.0 | 0.0 | 2.9 | | • | | | gram) | 200.0 | 0.0 | -9.1 | 0.0 | | | |
| | Wheat flour | 40.0 | 0.0 | 11.1 | 0.0 | | A | | | Musuro Potato | 200.0 50.0 | 0.0 0.0 | 0.0 0.0 | 11.1 0.0 | | | |
| | Soybean oil | 150.0 | 0.0 | 0.0 | -3.2 | | • | • | | | | | | | | | - |
| | Chicken | 340.0 | 13.3 | 54.5 | 21.4 | A | A | A | | Coarse rice | 55.0 | 0.0 | 0.0 | -21.4 | | | |
| | Mustard oil | 225.0 | 0.0 | 12.5 | 4.7 | • | A | • | | Wheat flour | 60.0 | 0.0 | 0.0 | -33.3 | | | |
| | Mas (black | 450.0 | 0.0 | 4.0 | 0.0 | | | | <u>a</u> | Soybean oil | 160.0 | 0.0 | -11.1 | 0.0 | | • | |
| | gram) | 150.0 | 0.0 | -1.3 | -6.3 | | | | Jumla | Chicken | 450.0 | 0.0 | -14.3 | 0.0 | • | • | |
| | Musuro | 150.0 | 0.0 | 7.1 | -11.8 | • | • | • | | Mas (black gram) | 220.0 | 0.0 | 0.0 | 46.7 | • | • | |
| | Potato | 16.0 | 0.0 | -36.0 | -36.0 | • | | ▼ | | Musuro | 180.0 | 0.0 | 0.0 | 20.0 | • | • | |
| | | | | | | | | <u> </u> | | Potato | 30.0 | 0.0 | 20.0 | 0.0 | • | <u> </u> | |
| | Coarse rice | 42.0 | 0.0 | 2.4 | 21.1 | • | | A | | Coarse rice | 40.0 | 14.3 | 14.3 | 0.0 | _ | <u> </u> | |
| | Wheat flour | 43.0 | -6.5 | -4.4 | 0.0 | • | • | • | | Wheat flour | 45.0 | 0.0 | 2.3 | 0.0 | | | |
| | Soybean oil | 141.0 | -1.9 | 3.2 | -22.4 | • | • | V | io. | Beans | 180.0 | 0.0 | 0.0 | 12.5 | | | |
| | Í | | | | | | | | Bajura | Mas (black | 100.0 | 0.0 | 0.0 | 12.5 | | | |
| | Chicken | 385.0 | -4.2 | -4.0 | 2.7 | | | | ш | gram) | 250.0 | 0.0 | 0.0 | 38.9 | • | • | |
| | Mustard oil | 207.7 | -1.1 | 0.5 | -16.4 | • | • | • | | Musuro | 200.0 | 0.0 | 0.0 | 11.1 | | | |
| | Mas (black gram) | 210.0 | 2.4 | -6.7 | -16.6 | • | • | ▼ | | Potato | 45.0 | 0.0 | 12.5 | 12.5 | <u> </u> | A | _ |
| | Musuro | 187.7 | 0.0 | 4.3 | -0.4 | | | | Mour | ntain markets v | without road | l access | | | | | _ |
| | | | | | | | | | | Coarse rice | 140.0 | 0.0 | 0.0 | 7.7 | • | • | |
| | Potato | 19.0 | -9.5 | -24.0 | -25.0 | V | • | <u> </u> | | Wheat flour | 160.0 | 0.0 | 14.3 | 14.3 | • | A | |
| | Coarse rice | 40.0 | 0.0 | -2.0 | -7.0 | • | • | • | <u> </u> | Soybean oil | 300.0 | 0.0 | 0.0 | 0.0 | | • | |
| | \A/I4-fl | 40.8 | 0.0 | 0.0 | 11.8 | • | • | • | Humla | Beans Mas (black | 130.0 | 0.0 | 0.0 | -23.5 | • | | |
| | Wheat flour | | 0.0 | -7.1 | -22.2 | • | • | ▼ | | gram) | 360.0 | 0.0 | 0.0 | 2.9 | • | • | |
| | Soybean oil | 130.0 | | | 4.5 | • | • | • | | Musuro | 350.0 | 0.0 | 0.0 | 0.0 | | | |
| | | 130.0 280.0 | 0.0 | -4.1 | 7.5 | | | | | Potato | 60.0 | 0.0 | 0.0 | 0.0 | - | | |
| | Soybean oil | | 0.0 | -4.1 0.0 | -9.9 | • | • | • | | | | | | | | | |
| | Soybean oil Chicken Mustard oil Mas (black | 280.0 160.0 | 0.0 | 0.0 | -9.9 | • | • | • | | Coarse rice | 140.0 | 0.0 | 0.7 | 16.7 | • | • | |
| | Soybean oil Chicken Mustard oil Mas (black gram) | 280.0 160.0 192.0 | 0.0 -4.0 | 0.0 -5.9 | -9.9 -17.9 | * | * | * | | | | | | | A | • | |
| | Soybean oil Chicken Mustard oil Mas (black gram) Musuro | 280.0 160.0 192.0 176.0 | 0.0 -4.0 0.0 | 0.0 -5.9 0.6 | -9.9 -17.9 10.0 | ** | ** | • | | Coarse rice | 140.0 | 0.0 | 0.7 | 16.7 | A | > > > > | |
| | Soybean oil Chicken Mustard oil Mas (black gram) | 280.0 160.0 192.0 176.0 22.0 | 0.0 -4.0 0.0 0.0 | 0.0 -5.9 0.6 -18.5 | -9.9 -17.9 10.0 -24.1 | > | > | * * * * * * * * * * * * * * * * * * * | Dolpa | Coarse rice Wheat flour | 140.0 120.0 | 0.0 33.3 | 0.7 0.0 | 16.7 0.0 | A A B | | |

Market Watch is produced by WFP Nepal as part of the Nepal Food Security Monitoring System (NeKSAP) in collaboration with the Agri-business Promotion and Marketing Development Directorate, Federation of Nepalese Chambers of Commerce and Industries (FNCCI) and Consumer's Interest Protection Forum. All NeKSAP publications are available on http://www.neksap.org.np.



or within 10% for 3 months or within 15% for one year.

Price fluctuation is considered normal if the price change is within 5% for 1 month,

Potato

100.0

| Major consumer markets | Market | Commodity | Cur- rent price | Change in price (%)* | | | Average change over | | | Market | Commodity | Current price (NRS | Chan | nge in price (% | %) * | Ave | erage chan over | |
|--|----------|--------------|-----------------------|----------------------|-------|-------|---------------------|----------|----------|----------|-------------|--------------------------|----------|-----------------|-------------|-------------|--------------------|----------|
| Convertice 400 | <u>M</u> | | per | 1 m | 3 m | 1 yr | 1m | 3m | 1yr | Mar | | per Kg/ | 1 m | 3 m | 1 yr | 1m | 3m | 1yr |
| Visited filter 48-0 | Majo | r consumer i | markets | | | | | | | | Coarse rice | 45.0 | 12.5 | 28.6 | 32.4 | A | A | A |
| Solvenin 1 1 1 1 1 1 1 1 1 | | 0 | 40.0 | 0.0 | 0.0 | 0.0 | | | | | Wheat flour | 48.0 | 26.3 | 11.6 | 6.7 | A | A | • |
| Sophean oil 1300 | | | | | | | | | | | Soybean oil | 120.0 | 0.0 | 4.3 | -20.0 | • | • | • |
| Machinary Mach | | | | | | | | | · | лама | Chicken | 312.0 | 4.0 | -8.2 | 4.0 | • | • | • |
| Machinary Mach | д | • | | | | | | | | airat | | 135.0 | 0.0 | -10.0 | -46.0 | • | • | , |
| Part | Kathman | | | | | | • | • | | 듐 | | 230.0 | 4.5 | 4.5 | 2.2 | • | • | , |
| Part | | | 218.0 | 0.0 | -11.0 | -16.2 | | • | • | | | | | | | • | • | , |
| Poster file 30.0 0.0 4.0 | | | 224.0 | 1.4 | -6.7 | 4.2 | • | • | • | | Potato | 22.6 | -9.6 | -43.5 | -9.6 | • | • | |
| Coarse side S20 | | Musuro | 139.0 | -0.7 | -0.7 | -30.5 | • | • | ▼ | Hill a | | narkets with | road acc | | | | | |
| Wheat floor 470 5.0 6.0 6.0 7. | | Potato | 39.0 | 0.0 | -22.0 | 30.0 | • | • | A | | Coarse rice | 43.3 | 1.2 | 1.2 | 0.7 | > | • | |
| Ministration Article | | Coarse rice | 52.0 | 0.0 | 0.0 | 4.0 | • | • | • | | | | | | | • | • | |
| Mastard oil 1750 0.0 0.0 -5.3 | | Wheat flour | 47.0 | -6.0 | -6.0 | -6.0 | • | • | • | nta | | | | | | | | |
| Mastard oil 1750 0.0 0.0 -5.3 | | Soybean oil | 125.0 | 0.0 | 0.0 | -16.7 | • | • | ▼ | ank | | 320.0 | 0.0 | -3.0 | -11.1 | | | |
| Majestro 1900 1900 1900 11.1 | hara | Chicken | 350.0 | 2.9 | 2.9 | -14.6 | • | • | • | 늄 | | | | | | | • | |
| Politic Color Co | Pok | Mustard oil | 180.0 | 0.0 | 0.0 | -5.3 | • | • | • | | | | | | | | | |
| Missaro 163.0 0.0 0.0 13.2 | | | 200.0 | 0.0 | 0.0 | _11 1 | | | | | | | | | | <u> </u> | | |
| Polation | | • , | | | | | | | | | | 41.0 | 17.1 | 17.1 | -8.9 | A | A | |
| Segional Teral markets | | | | | | | • | • | • | | | | | | | • | • | |
| Mas (place gram) | Regi | | | | | | - | | | lpa | · | | | | | • | • | |
| Wheat flour | | | | 0.0 | 0.0 | 0.0 | | • | • | S. | | 342.0 | 0.6 | 0.6 | 3.6 | • | • | |
| Soybean oil 139.0 -0.7 6.9 -0.7 | | | | | | | | | | | | 242.0 | -3.2 | -3.2 | 61.3 | • | • | |
| Mass Deback gram 174.0 | _ | | | | | | | | • | | Musuro | 159.0 | 6.0 | -20.5 | -0.6 | A | • | |
| Mass (black gram) 174.0 -1.1 -19.4 -20.9 V V V V Potato 20.0 -9.1 -52.4 -7.4 V V P POtato 20.0 -9.1 -9.1 -9.1 -9.1 P POtato 20.0 P | 20 | Chicken | 300.0 | 0.0 | 0.0 | 0.0 | • | • | • | | Potato | 58.0 | 45.0 | -3.3 | 16.0 | A | • | |
| Masc Alack gram 174.0 | | | | | | | • | | • | | Coarse rice | 40.0 | 0.0 | 0.0 | 0.0 | • | • | |
| Coarse rice 35,0 0,0 0,0 2,9 | | | | | | | | | | | Wheat flour | 42.0 | 0.0 | -2.3 | 0.0 | • | • | |
| Coarse rice 35,0 0,0 0,0 2,9 | | - | | | | | | • | • | agar | Soybean oil | 170.0 | 0.0 | 13.3 | 0.0 | • | A | |
| Coarse rice 35,0 0,0 0,0 2,9 | | | | | | | | • | • | nfeb | Chicken | 400.0 | -11.1 | -11.1 | 0.0 | • | • | |
| Wheat flour 40.0 11.1 11.1 0.0 A A P Potato 50.0 0.0 0.0 10.7 0.0 P W Wheat flour 60.0 0.0 0.0 -16.7 0.0 P W Wheat flour 60.0 0.0 -10.0 -10.0 0.0 P W Wheat flour 60.0 0.0 0.0 -10.0 0.0 P Potato 50.0 0.0 -10.0 -10.0 0.0 P Potato 50.0 0.0 0.0 -10.0 0.0 P Potato 50.0 0.0 -10.0 0.0 P Potato 50.0 0.0 -10.0 0.0 P Potato 50.0 0.0 0.0 -10.0 0.0 P Potato 50.0 0.0 0.0 P Potato 50.0 0.0 0.0 -10.0 0.0 P Potato 50.0 0.0 0.0 0.0 P Potato 50.0 P Potato 50.0 0.0 P Potato 50.0 P P Potato 50.0 P P P P P P P P P P P P P P P P P P | | | | | | | | | | Sa | | 200.0 | 0.0 | -9 1 | 0.0 | | | , |
| Soybean oil 150.0 0.0 0.0 0.0 0.3 | | | | | | | <u> </u> | <u> </u> | | | | | | | | | • | |
| Chicken 300.0 36.4 36.4 0.0 A A B Mustard oil 225.0 12.5 12.5 2.3 A A B Mustard oil 225.0 12.5 12.5 2.3 A A B Mustard oil 225.0 12.5 12.5 2.3 A A B Mustard oil 225.0 15.0 12.5 12.5 2.3 A A B Mustard oil 150.0 7.1 7.1 -16.7 A B V Wheat flour 150.0 7.1 7.1 -16.7 A B V Wheat flour 46.0 -20.0 -36.0 -20.0 V V V W Wheat flour 46.0 2.2 2.2 10.4 B B Mustard oil 143.7 0.2 0.2 -20.9 B V V Wheat flour 46.0 2.2 2.2 10.4 B B Mustard oil 143.7 0.2 0.2 -20.9 B V Wheat flour 45.0 0.0 -10.0 0.0 0.0 22.2 B Mustard oil 210.0 1.6 -2.3 -14.9 B B Mustard oil 200.0 -2.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | | | | | | | - | - | • | | | | | | | • | V | |
| Mustrard oil 225,0 12,5 12,5 2,3 A A B Mas (black gram) 150,0 -1,3 -1,3 -6,3 B Beans 130,0 0,0 -20,0 -33,3 B Beans 130,0 0,0 -3,3 B Beans 130,0 0,0 -3,4 B Beans 130,0 0,0 -3,5 Beans 130,0 0,0 -3,5 Beans 130,0 0,0 -3,5 Beans 130,0 -3,5 Beans 130,0 0,0 0 | | • | | | | | <u> </u> | <u> </u> | • | | Coarse rice | 55.0 | 0.0 | -8.3 | -21.4 | • | • | |
| Mas (black gram) 150.0 1.3 -1.3 -6.3 | , | | | | | | • | | | | Wheat flour | 60.0 | 0.0 | 0.0 | -33.3 | • | • | |
| Musuro 150.0 -1.3 -1.3 -6.3 | | | 220.0 | 12.0 | 12.3 | 2.3 | _ | • | | _ | Soybean oil | 160.0 | 0.0 | -11.1 | -11.1 | • | • | |
| Musuro 150.0 7.1 7.1 -16.7 | | | 150.0 | -1.3 | -1.3 | -6.3 | • | • | • | umla | · | 450.0 | -10.0 | -10.0 | 0.0 | • | • | - 1 |
| Potato 16.0 -20.0 -36.0 -20.0 | | Musuro | 150.0 | 7.1 | 7.1 | -16.7 | A | • | ▼ | う | | 220 D | 0.0 | 0.0 | 46 7 | | | |
| Potato 30.0 -25.0 0.0 0.0 V Neat flour 46.0 2.2 2.2 10.4 V Neat flour 45.0 0.0 -10.0 -2.2 V Neat flour 250.0 0.0 0.0 -2.0 0.0 -2.0 V Neat flour 250.0 0.0 0.0 -2.0 -2.0 V Neat flour 45.0 -2.5 12.5 12.5 28.6 A A Neat flour 45.0 -2.5 12.5 -2.5 28.6 A A Neat flour 45.0 -2.5 -2 | | Potato | 16 0 | -20.0 | -36 0 | -20 N | • | • | • | | | | | | | | | |
| Wheat flour 46.0 2.2 2.2 10.4 | | | | | | | | | | | | | | | | • | | |
| Wheat flour 46.0 2.2 2.2 10.4 Soybean oil 143.7 0.2 0.2 -20.9 Wheat flour 45.0 0.0 -10.0 -2.2 Wheat flour 45.0 0.0 0.0 -10.0 -2.2 Wheat flour 45.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | | | | | | | | | A | | | | | | | <u>,</u> | • | |
| Soybean oil 143.7 0.2 0.2 -20.9 | | Wheat flour | 46.0 | 2.2 | 2.2 | 10.4 | • | • | • | | | | | | | | | |
| Mustard oil 210.0 1.6 -2.3 -14.9 | | Soybean oil | 143.7 | 0.2 | 0.2 | -20.9 | • | • | ▼ | <u> </u> | | | | | | <u> </u> | A | |
| Mustrd oil 210.0 1.6 -2.3 -14.9 | 5 | Chicken | 401.7 | 0.0 | 11.6 | 7.1 | • | A | • | Bajı | Mas (black | | | | | - | - | |
| Mas (black gram) Musuro 187.7 4.3 13.7 6.2 Potato 21.0 -16.0 -46.6 -13.7 Wheat flour 40.8 Soybean oil 130.0 -7.1 -7.1 -7.1 -26.1 Whistard oil Musuro 160.0 0.0 0.0 -8.0 Musuro 146.0 -13.6 -13.6 -16.6 -18.0 Wheat flour Musuro 146.0 -13.6 -16.6 -18.0 Wheat flour Musuro M | d D | | | | | | | | | | | | | | | • | | |
| Musuro 187.7 4.3 13.7 6.2 | 2 | | | | -2.5 | 17.3 | | | - | | | | | | | ▼ ▲ | A | |
| Musuro 187.7 4.3 13.7 6.2 | | | 205.0 | 3.7 | -11.8 | -15.8 | • | • | ▼ | Mour | | | | | | | | |
| Potato 21.0 -16.0 -46.6 -13.7 V V V V V V V V V V V V V V V V V V V | | Musuro | 187.7 | 4.3 | 13.7 | 6.2 | • | A | • | oui | | | | | | | | |
| Coarse rice 40.0 -2.0 2.0 -7.0 | | Potato | 21.0 | -16.0 | -46.6 | -13.7 | • | ▼ | • | | | | | | | | | |
| Wheat flour 40.8 0.0 4.1 11.5 | | Coarse rice | 40.0 | -2.0 | 2.0 | -7.0 | • | • | • | ~ | | | | | | • | <u> </u> | |
| Soybean oil 130.0 -7.1 -7.1 -26.1 V V Musuro 280.0 -5.4 -7.9 4.5 V Musuro 350.0 0.0 -25.0 0.0 V Musuro 146.0 -13.6 -16.6 -18.0 V V Musuro 146.0 -26.7 -26.7 -12.0 V V Musuro 1 price fluctuation ice decrease below normal price fluctuation | | Wheat flour | 40.8 | 0.0 | 4.1 | 11.5 | • | • | • | nmle | Beans | | 0.0 | | | • | • | |
| Chicken 280.0 -5.4 -7.9 4.5 ▼ ► ► Musuro 350.0 0.0 -5.4 0.0 ► ► Musuro 350.0 0.0 -25.0 0.0 ► ▼ Musuro 146.0 -13.6 -16.6 -18.0 ▼ ▼ ▼ Potato 22.0 -26.7 -26.7 -12.0 ▼ ▼ ► ► Drmal price fluctuation ice decrease below normal price fluctuation Musuro 350.0 0.0 -5.4 0.0 ► ► Musuro 350.0 0.0 -25.0 0.0 ► ▼ Musuro 350.0 0.0 -25.0 0.0 ► ▼ Wheat flour 90.0 -25.0 -25.0 -25.0 ▼ ▼ Soybean oil 240.0 0.0 0.0 -20.0 ► ► Beans 200.0 0.0 -20.0 ► ▼ Musuro 350.0 0.0 -25.0 0.0 ► ▼ Wheat flour 90.0 -25.0 -25.0 0.0 ▼ ▼ Soybean oil 240.0 0.0 0.0 -20.0 ► ► Beans 200.0 0.0 -20.0 ► ▼ Musuro 350.0 0.0 0.0 0.0 0.0 ► ▼ Musuro 350.0 0.0 0.0 0.0 ► ▼ Wheat flour 90.0 -25.0 0.0 0.0 0.0 0.0 0.0 0.0 ► ▼ Musuro 350.0 0.0 0.0 0.0 ■ ▼ Musuro 350.0 0.0 0.0 ■ ▼ | | | | | | | • | • | ▼ | Í | | 360.0 | 2.9 | -5.3 | 2.9 | • | • | |
| Mas (black gram) 200.0 -2.0 -8.3 -19.4 ► ▼ Wheat flour 90.0 -25.0 -25.0 ▼ ▼ Wheat flour 90.0 -25.0 -25.0 ▼ ▼ Soybean oil 240.0 0.0 0.0 ► ▼ Soybean oil 240.0 0.0 0.0 □ Soybean oil 240.0 0.0 0.0 □ Soybean oil 240.0 0.0 0.0 □ Soybean oil 240.0 □ Soybean | | • | | | | | | • | • | | Musuro | 350.0 | 0.0 | -5.4 | 0.0 | • | > | |
| Mas (black gram) 200.0 -2.0 -8.3 -19.4 ► ▼ Wheat flour 90.0 -25.0 -25.0 ▼ ▼ Wheat flour 90.0 -25.0 -25.0 ▼ ▼ Soybean oil 240.0 0.0 0.0 ► ▼ Mas (black gram) 300.0 0.0 0.0 66.7 ► ■ Musuro 146.0 -13.6 -16.6 -18.0 ▼ ▼ ■ Mas (black gram) 300.0 0.0 0.0 66.7 ► ■ Musuro 300.0 0.0 0.0 42.9 ■ ■ Musuro 300.0 0.0 0.0 0.0 0.0 42.9 ■ ■ Musuro 300.0 0.0 0.0 0.0 42.9 ■ ■ Musuro 300.0 0.0 0.0 0.0 0.0 42.9 ■ ■ Musuro 300.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0 | 5 | Mustard oil | | 0.0 | | | • | • | • | | | | | | | • | V | |
| Musuro 146.0 -13.6 -16.6 -18.0 ▼ ▼ ▼ Potato 22.0 -26.7 -26.7 -12.0 ▼ ▼ ▼ Potato 22.0 -26.7 -26.7 -12.0 ▼ ▼ ■ Potato 22.0 -26.7 -12.0 ▼ ▼ ■ Potato 22.0 -26.7 -26.7 -12.0 ▼ ▼ ■ Potato 22.0 -26.7 -26.7 -12.0 ▼ ■ Potato 22.0 -26.7 -26.7 -12.0 ▼ ■ Potato 22.0 ■ Potato 22.0 □ 0.0 | | | 200.0 | -2 O | _Q 2 | -10 4 | | | • | | Coarse rice | | 0.0 | 0.0 | 16.7 | • | • | |
| Potato 22.0 -26.7 -26.7 -12.0 ice increase above normal price fluctuation ormal price fluctuation rice decrease below normal price fluctuation Musuro 300.0 0.0 0.0 -20.0 Musuro 300.0 0.0 0.0 42.9 Musuro 300.0 0.0 0.0 42.9 Musuro | | - | | | | | | | ▼ | | | | | | | • | • | |
| ice increase above normal price fluctuation ormal price fluctuation rice decrease below normal price fluctuation Musuro 300.0 0.0 -20.0 0.0 • V Musuro 300.0 0.0 0.0 42.9 • • | | | | | | | | | | Ø | · | | 0.0 | | -20.0 | • | • | |
| ormal price fluctuation gram) 300.0 0.0 0.0 66.7 ► Musuro 300.0 0.0 42.9 ► | ice | | | | | | • | ▼ | | Jolps | | 200.0 | 0.0 | -20.0 | 0.0 | • | • | |
| | | | | 5110 | | | | | | | | 300.0 | 0.0 | 0.0 | 66.7 | • | • | |
| 71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | | | Musuro | 300.0 | 0.0 | 0.0 | 42.9 | • | • | |

Market Watch is produced by WFP Nepal as part of the Nepal Food Security Monitoring System (NeKSAP) in collaboration with the Agri-business Promotion and Marketing Development Directorate, Federation of Nepalese Chambers of Commerce and Industries (FNCCI) and Consumer's Interest Protection Forum. All NeKSAP publications are available on http://www.neksap.org.np.



or within 10% for 3 months or within 15% for one year.

Price fluctuation is considered normal if the price change is within 5% for 1 month,

90.0

Potato